

AMENDED

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

MAY 28 1976

Date of filing in State Engineer's Office.....

JUN 14 1976

Returned to applicant for correction.....

JUL 6 1976

Corrected application filed.....

JUL 6 1976

Map filed.....

The applicant..... **Henry C. and Sue Flo Tutwiler**.....

Star Route - Box 5712....., of **Pahrump**.....
Street and No. or P.O. Box No. City or Town

Nevada 89041....., hereby make..... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is..... **an underground source**.....
Name of stream, lake or other source.

2. The amount of water applied for is..... **0.02 cfs**..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for..... **commercial and domestic purposes (general store and day care center)**.....
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: **within the NW¼ SW¼ of Sec. 14, T.20S., R.53E., M.D.B.&M., or at a point from which the West Quarter corner of said Section bears North 80° 24' 30" West a**
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

distance of 1095.31 feet.

6. Place of use..... **is a portion of the NW¼ SW¼ of Section 14, T.20S., R.53E., M.D.B.&M., being the East Half (E½) of Lot 2 and Lot 3**
Describe by legal subdivision, if on unsurveyed land it should be so stated.

all of Block B, Raycraft Subdivision being approximately 1.2 acres more or less.

7. Use will begin about..... **January 1st**..... and end about..... **December 31st**..... of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... **Well approximately 360 feet deep, grout sealed on the top fifty feet, concrete collar and pump house,**
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
and a 7½ horsepower submersible pump.

9. Estimated cost of works..... Four thousand dollars
10. Estimated time required to construct works..... one year
11. Estimated time required to complete the application to beneficial use..... three years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The water will be used for general store, child day care center and landscaping.

Applicant Henry C. and Sue Flo Tutwiler

By..... s/Richard J. Baughman
RICHARD J. BAUGHMAN
2325 W. Charleston Blvd.
Las Vegas, NV 89102

Compared..... lp/ga..... lk/bs

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.02 cubic feet per second but not to exceed

0.438 million gallons annually.

Actual construction work shall begin on or before June 3, 1977

Proof of commencement of work shall be filed before July 3, 1977

Work must be prosecuted with reasonable diligence and be completed on or before June 3, 1978

Proof of completion of work shall be filed before July 3, 1978

Application of water to beneficial use shall be made on or before June 3, 1979

Proof of the application of water to beneficial use shall be filed on or before July 3, 1979

Map in support of proof of beneficial use shall be filed on or before

JAN 5 1977
Commencement of work filed.....
Completion of work filed..... JAN 5 1977
Proof of beneficial use filed..... MAY 8 1979
Cultural map filed.....
Certificate No. 9576 Issued 8/27/81
Recorded..... Bk..... Page.....
County Recorder

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 3rd day of December

A.D. 19 76

State Engineer